

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	30	OKUMURA-MIWA	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:08
L2	1955	(378/4).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 09:08
L3	811	(378/19).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 09:08
L4	519	(378/98.8).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 09:08
L5	904	(250/370.09).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 09:08
L6	2	(photodiode same switch\$5 with data near2 acquis\$8).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:10
L7	2	(photodiode same switch\$5 same data near2 acquis\$8).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:10
L8	19	(photodiode and switch\$5 and (data near2 acquis\$8)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:13
L9	9816	(photodiode or (detect\$5 near (element or means)) and switch\$5 and (data near2 acquis\$8)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:16
L10	9767	(photodiode or (detect\$5 near (element or means)) same switch\$5 same (data near2 acquis\$8)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:16
L11	9764	(photodiode or (detect\$5 near (element or means)) with switch\$5 with (data near2 acquis\$8)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:14
L12	9761	(photodiode or (detect\$5 near (element or means)) with switch\$5 with (data near2 acquis\$8) with (board or substrate)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:16
L13	254	12 and "378"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:15
L14	2692	12 and "250"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:15

L15	2	((photodiode or (detect\$5 near (element or means))) with switch\$5 with (data near2 acquis\$8) with (board or substrate)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:16
L16	74	((photodiode or (detect\$5 near (element or means))) and switch\$5 and (data near2 acquis\$8)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:48
L17	8	((photodiode or (detect\$5 near (element or means))) same switch\$5 same (data near2 acquis\$8)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:16
L18	2	((photodiode or (detect\$5 near (element or means))) with switch\$5 with (data near2 acquis\$8) with (board or substrate)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:17
L19	77	((photodiode or (detect\$5 near (element or means))) and (switch\$5 or CMOS or (metal near oxide)) and (data near2 acquis\$8 or DAS)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 10:08
L20	63	((photodiode or (detect\$5 near (element or means))) and (switch\$5 or CMOS or (metal near oxide)) and (data near2 acquis\$8 or DAS) and (connect\$5 or interconnect\$5 or inter?connect\$5)).clm.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:53
L21	20	20 and ("378"/\$.ccls. or "250"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:52
L22	3643	((photodiode or (detect\$5 near (element or means))) and (switch\$5 or CMOS or (metal near oxide)) and (data near2 acquis\$8 or DAS) and (connect\$5 or interconnect\$5 or inter?connect\$5))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:54
L23	130	((photodiode or (detect\$5 near (element or means))) same (switch\$5 or CMOS or (metal near oxide)) same (data near2 acquis\$8 or DAS) same (connect\$5 or interconnect\$5 or inter?connect\$5))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 09:54

L24	53	((photodiode or (detect\$5 near (element or means))) with (switch\$5 or CMOS or (metal near oxide)) with (data near2 acquis\$8 or DAS) with (connect\$5 or interconnect\$5 or inter?connect\$5))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 10:08
L25	1955	(378/4).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:06
L26	811	(378/19).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:06
L27	519	(378/98.8).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:07
L28	2707	(250/208.1).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:07
L29	180	(250/339.02).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:07
L30	427	(250/370.08).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:07
L31	904	(250/370.09).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:07
L32	648	(250/370.11).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:07
L33	574	(348/294).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:07
L34	695	(348/308).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/31 10:07
L35	48	((photodiode or (detect\$5 near (element or means))) and (switch\$5 or CMOS or (metal near oxide)) and (data near2 acquis\$8 or DAS)).clm.	US-PGPUB	OR	ON	2005/08/31 10:08
L36	17	((photodiode or (detect\$5 near (element or means))) with (switch\$5 or CMOS or (metal near oxide)) with (data near2 acquis\$8 or DAS) with (connect\$5 or interconnect\$5 or inter?connect\$5))	US-PGPUB	OR	ON	2005/08/31 10:09

L37	3	((photodiode or (detect\$5 near (element or means))) with (switch\$5 or CMOS or (metal near oxide)) with (data near2 acquis\$8 or DAS) with (connect\$5 or interconnect\$5 or inter?connect\$5)).clm.	US-PGPUB	OR	ON	2005/08/31 10:09
L38	43	((photodiode or (detect\$5 near (element or means))) and (switch\$5 or CMOS or (metal near oxide)) and (data near2 acquis\$8 or DAS) and (connect\$5 or interconnect\$5 or inter?connect\$5)).clm.	US-PGPUB	OR	ON	2005/08/31 10:12
L39	1546	25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 24	US-PGPUB	OR	ON	2005/08/31 10:13
L40	1314	((photodiode or (detect\$5 near (element or means))) and (switch\$5 or CMOS or (metal near oxide)) and (data near2 acquis\$8 or DAS) and (connect\$5 or interconnect\$5 or inter?connect\$5))	US-PGPUB	OR	ON	2005/08/31 10:13
L41	122	39 and 40	US-PGPUB	OR	ON	2005/08/31 10:12
L42	7672	25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 24	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 10:13
L43	3643	((photodiode or (detect\$5 near (element or means))) and (switch\$5 or CMOS or (metal near oxide)) and (data near2 acquis\$8 or DAS) and (connect\$5 or interconnect\$5 or inter?connect\$5))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 10:13
L44	372	42 and 43	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/08/31 10:14
L45	250	42 and 43	USPAT; EPO; JPO	OR	ON	2005/08/31 10:14